

tangent fjord

Design by Jacob Jensen

User manual
Brugermanual

DOCK

UK - USER MANUAL.....	3
Top Panel.....	4
Front Panel	5
Rear Panel	6
Remote Control.....	7
Specifications.....	8
DK - BRUGERMANUAL	9
Toppanel	10
Frontpanel.....	11
Bagpanel.....	12
Fjernbetjening	13
Specifikationer	14

iPhone® and iPod® are trademarks of Apple Inc., registered in the U.S. and other countries.

“Made for iPod,” and “Made for iPhone” mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

UK - USER MANUAL

Top Panel




1. **Dock:** Place your Apple device in the dock.
2. **POWER LED:** 50% brightness in standby mode, 100% brightness in ON mode.

Front Panel




1. IR Eye: Infrared receiver

Rear Panel



1. **POWER:** Use this input to connect the Tangent fjord's DC power supply; 12V/2A.
2. **AUX IN:** Connect any stereo or mono audio source to this stereo input.

Remote Control



1. Skip/search reverse and forward.
2. Arrow keys down/up, used for scroll in iPhone mode.
3. MENU for iPhone and PLAY/PAUSE.
4. Volume down and up respectively.
5. POWER and MODE. [Note a.]

Notes

- a. *The MODE button on the remote has two functions. It acts as ENTER button in iPhone menu mode and as MODE button too. The MODE button function requires a long press to switch from iPhone to AUX IN.*

Specifications

Model: Tangent fjord DOCK
Controls: IR remote
Speaker: 2pcs 3" wide range speakers
Power Output: 2x7 Watt RMS@1% THD
Connections: 3.5mm jack for stereo analog audio AUX input
12 V DC input
Power: DC 12V/2A
Dimensions: 170mm x 180mm x 170mm (W x H x D)
Weight: 2.4Kg (Power supply and radio)

All specifications are subject to change without notice.

DK - BRUGERMANUAL

Toppanel




1. **Dock:** Placer din Apple-enhed i dockingstationen.
2. **POWER LED:** 50 % lysstyrke ved standby, 100 % lysstyrke når tændt.

Frontpanel




1. **IR øje:** Infrarød modtager

Bagpanel



1. **POWER:** Brug denne indgang til at tilslutte Tangent fjords DC-strømforsyning, 12V/2A.
2. **AUX IN:** Tilslut en hvilken som helst stereo- eller mono-lydkilde til denne stereoindgang.

Fjernbetjening



1. Spring over/søg baglæns og fremad.
2. Piltaster ned/op for at rulle i iPHONE-funktionen.
3. MENU for iPhone og AFSPIL/PAUSE
4. Lydstyrke henholdsvis ned og op.
5. POWER og MODE. [Bemærkning a.]

Bemærkninger

- a. *MODE-knappen på fjernbetjeningen har to funktioner. Den fungerer som ENTER-knap i iPHONE-menuen og også som MODE-knap. MODE-knapfunktionen kræver et langt tryk for at skifte fra iPhone til AUX IN.*

Specifikationer

Model: Tangent fjord DOCK
Knapper: IR fjernbetjening
Højtaler: 2 stk. 3" fuldtonehøjtalere
Udgangseffekt: 2x7 Watt RMS@1% THD
Tilslutninger: 3,5mm jack til stereo analog audio AUX-indgang
12 V DC indgang
Strømforsyning: DC 12V/2A
Dimensioner: 170mm x 180mm x 170mm (B x H x D)
Vægt: 2,4Kg (Strømforsyning og radio)

Alle specifikationer kan ændres uden forudgående offentliggørelse.

tangent fjord

Design by Jacob Jensen

To follow up on the success of the Tangent Fjord radio, Tangent now introduces - The Tangent Fjord iPhone/iPod dock

Tangent, the award-winning audio manufacturer from Denmark, has paired with Jacob Jensen Design to create a revolution within the docks we place in rooms where large music systems are unnecessary.

Let your eyes and ears enjoy the combination of the minimalistic design of Jacob Jensen Design with Tangent's superior technology and stereo sound. The result is a unique and sculptural combination of form and function.

Tangent Fjord is a small dock with a big sound. It appears as a minimalistic sculpture in the home, inviting operation all by itself. The high-quality materials makes Tangent Fjord a physical expression for the satisfaction we experience, when quality in all aspects makes form and function unite on a higher level.

